

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 747 525 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
11.12.1996 Bulletin 1996/50

(51) Int. Cl.⁶: D06N 7/00

(21) Application number: 96108633.7

(22) Date of filing: 30.05.1996

(84) Designated Contracting States:
BE CH DE ES FR GB IT LI NL

(72) Inventor: Sferazza, Randall A.
Asheville, NC 28804 (US)

(30) Priority: 05.06.1995 US 465235

(74) Representative: Abel, Manfred et al
BASF Aktiengesellschaft
Patentabteilung ZDX - C6
67056 Ludwigshafen (DE)


(71) Applicant: BASF CORPORATION
Mount Olive, New Jersey 08728-1234 (US)

(54) Recyclable carpet and method of recycling

(57) The present invention relates, in general, to recyclable carpet structures. More specifically, the invention relates to a recyclable carpet structure that includes a primary backing having fiber tufts protruding from a top surface thereof, a substrate, and a hot melt

adhesive between the tufted primary backing and the substrate. The invention further relates to a method of recycling such a carpet structure.

FIG.1



EP 0 747 525 A2

Description

The present invention relates, in general, to recyclable carpet structures. More specifically, the invention relates to a recyclable carpet structure that includes a primary backing having fiber tufts protruding from a top surface thereof, a substrate, and a hot melt adhesive between the tufted primary backing and the substrate. The invention further relates to a method of recycling such a carpet structure.

Tufted carpet structures are composites in which the pile or tuft-forming fiber is needled through a primary backing. A binding agent is applied to the bottom of the primary backing to hold the tufts in place and to secure the tufted primary backing to a substrate.

Methods have been suggested for recycling various types of carpet structures (including tufted structures) and carpet structures produced from various polymer types (including nylon). In this regard, attention is directed to the disclosures of USP 5,240,530, 5,288,349 and 5,370,757 and 5,169,870.

USP 5,240,530 and USP 5,288,349 disclose a carpet that includes a primary backing having tufts of synthetic fibers protruding from a top surface and a secondary backing with an extruded sheet of isotactic polyolefin polymer between and integrally fused to a bottom surface of the primary backing and an upper surface of the secondary backing. The recycling method described includes collecting portions of the carpet, grinding the portions and washing same to separate the various fibers.

USP 5,370,757 teaches a process of manufacturing substantially 100% nylon 6 carpet that includes binding a face yarn of nylon 6 to a support of nylon 6 with molten or dissolved nylon 6. Carpet so constructed is more readily recycled than carpets formed of composites of several different materials.

USP 5,169,870 relates to nylon 6 carpet specifically and to a method of reclaiming ϵ -caprolactam therefrom.

The following patents relate to various other aspects of carpet reclamation: USPs 5,230,473, 5,233,021 and 5,294,384.

The present invention provides a recyclable carpet produced from, for example, two different polymer types. The two types are used, for example, in the primary backing and tufts on the one hand, and the substrate on the other. The backing and substrate are secured together with a hot melt adhesive that has a melt temperature lower than either the backing- or substrate-forming material. The invention also provides a method of recycling such a carpet which takes advantage of the differential melt temperatures of the polymers and the adhesive. The carpet and recycling method of the invention are particularly well suited for use in connection with carpet tile structures.

It is an object of the invention to provide a recyclable carpet, including a tufted carpet comprising nylon as one component.

It is a further object of the invention to provide a

method of recycling carpet and, particularly, to a method of reclaiming the nylon component from nylon-containing tufted carpets.

In accordance with the foregoing objectives, the present invention relates to a tufted carpet comprising:

- i) a tufted primary backing comprising tufts of carpet fibers protruding from a top surface of a primary backing,
- ii) a substrate, and
- iii) a hot melt adhesive between a bottom surface of the primary backing and a top surface of the substrate. In the carpet of the invention, the tufts of fibers and the primary backing comprise a first polymer and the substrate comprises a second polymer, which first and second polymers can be the same or different. The hot melt adhesive is selected so as to be compatible with both the first and second polymers and to have a lower melt temperature than the first or second polymers.

The present invention also relates to a method of recycling the above-described carpet. The method comprises: i) heating the carpet to a temperature sufficient to soften the hot melt adhesive but below the melt temperatures of the first and second polymers, and ii) separating the tufted primary backing from the substrate.

Further objects and advantages of the invention will be clear from a reading of the description that follows.

Figure 1 is a cross-sectional view of one embodiment of the carpet of the present invention. The Figure shows a primary backing having fiber tufts needled therethrough and protruding from a top surface. The Figure also shows a hot melt adhesive between a bottom surface of the primary backing and a top surface of the substrate.

Figure 2 is a side view of an apparatus suitable for use in recycling the carpet illustrated in Figure 1.

The present invention relates to recyclable carpet structures and methods of recycling same. Referring to Figure 1, there is shown a carpet structure of the invention comprising a primary backing (1) that is made of woven fibers. Tufts of carpet face fibers (2) protrude from a top face of primary backing (1) and a thin film of a hot melt adhesive (3) locks the tufts (2) in place. The hot melt adhesive (3) acts as a buffer between the tufted primary backing (1) and a thermoplastic substrate (4) and secures the tufted primary backing (1) to the thermoplastic substrate (4).

The face fiber tufts and primary backing of the carpet of the invention are formed of the same polymeric material. The substrate is formed of a polymer that can be different from that from which the fiber tufts and primary backing are formed. The hot melt adhesive applied to the back surface of the primary backing to lock the tufts in place and to act as a buffer between the tufted primary backing and the thermoplastic substrate is compatible with the polymers of the tufts, backing and substrate, and has a melt temperature lower than the

backing and/or substrate polymers.

Suitable polymers for the fiber tufts and primary backing of the carpet of the invention include nylons (eg nylon 6 and nylon 66), polypropylene and polyesters. Nylon 6 is preferred. The primary backing can take the form, for example, of a woven tape (eg a tape such as those currently used in primary backings), a knit fabric (as described in DE 41 11455 (Nordfaser)), or a nonwoven fabric such as those used in automotive carpet. Films or webs can also be used.

Suitable substrate polymers include thermoplastics, for example, polyolefins, ethylene vinyl acetate (EVA), and polyvinyl chloride (PVC). The substrate can be applied, for example, as a hot-melt or in a solvent carrier (eg for EVA and PVC). The polyolefins can be a fiber but can also be applied as a hot-melt or solvent applied.

The hot melt adhesive applied to the bottom side of the primary backing and the top side of the substrate is selected so as to be compatible with the polymers of the tufted primary backing and the substrate. Advantageously, the adhesive is caprolactam based copolyamide. Compatible polyolefins and copolyester adhesives can also be used. Examples of suitable adhesives include the Griltex series from Ems and the Vestamelt series from Hüls. The hot melt coating can be applied to the primary backing using various methods of adhesive application, including those described in USP 5,240,530.

The carpet of the present invention can be recycled by heating the carpet to a temperature above the softening point of the hot melt adhesive, but below the melting point of the polymers of the tufted primary backing and substrate. This softening of the hot melt adhesive allows the carpet to be split into the two polymer components.

One embodiment for separating the carpet into its two components, shown in Figure 2, involves a two stage process on a moving conveyor belt (1). In the first stage, carpet (2) is heated via heater (3). Heating can be effected using infrared heaters, a heated roll, steam injection, microwave radiation and the like. The temperature to which carpet (2) is heated is sufficient to soften the hot melt adhesive but not sufficient to melt the tuft/primary backing and substrate polymers. In the second stage, a splitter (4) (which can be heated) separates the carpet components which can then be separately wound on winders (5) and (6).

An alternative recycling embodiment involves mechanically gripping the fiber tufts prior to carpet heating. Upon heating of the carpet to the hot melt adhesive softening point, the substrate component simply drops off under its own weight and into a recovery area.

Regardless of the technique used for separating the carpet into its two polymer components, the tufted fabric can be recycled, for example, into a recycled resin by cutting and pelletizing or, where economical, by depolymerization in accordance with known techniques. The substrate can, for example, be chopped and recycled

back to the substrate or used as a recycled resin.

All documents cited above are hereby incorporated in their entirety by reference.

One skilled in the art will appreciate from a reading of this disclosure that various changes in form and detail can be made without departing from the true scope of the invention.

Claims

1. A tufted carpet comprising:
 - i) a tufted primary backing comprising tufts of carpet fibers protruding from a top surface of a primary backing,
 - ii) a substrate, and
 - iii) a hot melt adhesive between a bottom surface of said primary backing and a top surface of said substrate,
 wherein said tufts of fibers and said primary backing comprise a first polymer and said substrate comprises a second polymer and wherein said hot melt adhesive is compatible with both said first and second polymers and wherein said hot melt adhesive has a melt temperature lower than melt temperatures of said first and second polymers.
2. The carpet according to claim 1 wherein said first polymer is a nylon.
3. The carpet according to claim 2 wherein said nylon is nylon 6 or nylon 66.
4. The carpet according to claim 2 wherein said hot melt adhesive is a caprolactam based copolyamide.
5. The carpet according to claim 3 wherein said nylon is nylon 66.
6. The carpet according to claim 5 wherein said hot melt adhesive is a hexamethylenediamine and adipic acid based copolyamide.
7. The carpet according to claim 1 wherein said first polymer is polypropylene and said hot melt adhesive is a polyolefin.
8. The carpet according to claim 1 wherein said first polymer is a polyester and said hot melt adhesive is a copolyester.
9. The carpet according to claim 1 wherein said second polymer is a thermoplastic.
10. The carpet according to claim 9 wherein said thermoplastic is polyvinyl chloride.
11. The carpet according to claim 1 wherein said first

and second polymers are different.

12. A method of recycling the carpet according to claim 1 comprising heating said carpet to a temperature sufficient to soften said hot melt adhesive and below melt temperatures of said first and second polymers, and separating said tufted primary backing from said substrate.

10

15

20

25

30

35

40

45

50

55

FIG.1






FIG.2





Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 0 747 525 A3

(12) EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
01.12.1999 Bulletin 1999/48

(51) Int. Cl.⁵: D06N 7/00

(43) Date of publication A2:
11.12.1996 Bulletin 1996/50

(21) Application number: 96108633.7

(22) Date of filing: 30.05.1996

(84) Designated Contracting States:
BE CH DE ES FR GB IT LI NL

(72) Inventor: Sferrazza, Randall A.
Asheville, NC 28804 (US)

(30) Priority: 05.06.1995 US 465235

(74) Representative:
Abel, Manfred et al
BASF Aktiengesellschaft
Patentabteilung ZDX - C6
67056 Ludwigshafen (DE)

(71) Applicant: BASF CORPORATION
Mount Olive, New Jersey 07828-1234 (US)

(54) Recyclable carpet and method of recycling

(57) The present invention relates, in general, to recyclable carpet structures. More specifically, the invention relates to a recyclable carpet structure that includes a primary backing having fiber tufts protruding from a top surface thereof, a substrate, and a hot melt adhesive between the tufted primary backing and the substrate. The invention further relates to a method of recycling such a carpet structure.

FIG.1



EP 0 747 525 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 10 3633

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 6)
X	DE 41 11 455 C (NORDDEUTSCHE FASERWERKE GMBH) 23 July 1992 (1992-07-23) * page 3, line 38 - line 54; claims 1,9,10 *	1-4,9	006N7/00
X	EP 0 625 605 A (MONSANTO CO) 23 November 1994 (1994-11-23) * column 4, line 22 - line 36; claim 11 *	1-3,5,6,9	
X	WO 95 06771 A (FIBERTEX AS; JUSTESEN KNUD ERIK (DK); JESSEN LARS VALBAEK (DK); MA) 9 March 1995 (1995-03-09) * page 16, line 11 - line 24 * * page 18, line 10 - page 20, line 32 * * page 24, line 24 - line 33 * * page 25, line 34 - page 27, line 3 *	1,2,7-9,12	
X	DE 93 14 788 U (LONGLIFE TEPPICHBODEN BERNDT C) 2 February 1995 (1995-02-02) * page 3, line 1 - page 5, line 2; claims 1,2; figure *	1,9,11,12	
X	DE 94 03 111 U (WUDECO BELAEGE GMBH) 23 June 1994 (1994-06-23) * page 3, line 26 - line 32; claims 1,2,11; figure * * page 6, line 10 - line 12 *	1-3,5,12	006N
X	EP 0 511 469 A (HUELS CHEMISCHE WERKE AG) 4 November 1992 (1992-11-04) * page 2, line 28 - line 57; claims 1-4,8,11; example * * page 3, line 35 - page 4, line 2 *	1,2,4,9	
X	NL 8 402 363 A (TAPIJTFABRIEK B V V H FA VISSC) 16 April 1986 (1986-04-16) * page 2, line 28 - page 3, line 35; figure *	1,9,11	
--- -/--			
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 1 October 1999	Examiner Pamies Olle, S
CATEGORY OF CITED DOCUMENTS		T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons A: technological background O: non-written disclosure P: intermediate document	
X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category			

EPO FORM 1503 03/92 (P/0301)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 10 8633

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	EP 0 604 897 A (HOECHST CELANESE CORP) 6 July 1994 (1994-07-06) * column 3, line 30 - column 5, line 12 * * column 5, line 39 - line 47 * ---	1,3,9	
A	WO 93 13254 A (DU PONT) 8 July 1993 (1993-07-08) * page 10, line 12 - line 26; example 1 * * page 12, line 32 - last line * ---	1,7,9	
A	WO 89 09561 A (ALLIED SIGNAL INC) 19 October 1989 (1989-10-19) * claims; examples * ---	1-6	
A	WO 93 12285 A (PEGULAN TARKETT AG) 24 June 1993 (1993-06-24) * claims; examples * -----	1,2,7-9	

TECHNICAL FIELDS
SEARCHED (Int.Cl.6)

The present search report has been drawn up for all claims

Place of search THE HAGUE	Date of completion of the search 1 October 1999	Examiner Pamies Olle, S
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons S : member of the same patent family corresponding document</p>		

EP 0 747 525 A3 (1999-10-01)

ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.

EP 96 10 3633

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-10-1999

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE 4111455 C	23-07-1992	AT 142720 T	15-09-1996
		AU 652618 B	01-09-1994
		AU 1397292 A	15-10-1992
		CA 2065683 A	10-10-1992
		CN 1067459 A, B	30-12-1992
		CS 9201085 A	14-10-1992
		DE 59207082 D	17-10-1996
		DK 508287 T	30-09-1996
		EP 0508287 A	14-10-1992
		ES 2091969 T	16-11-1996
		GR 3021067 T	31-12-1996
		HR 920068 A	31-08-1995
		IL 101440 A	18-06-1996
		JP 5214663 A	24-08-1993
		MX 9201620 A	01-10-1992
		NZ 242194 A	27-04-1995
		PL 169756 B	30-08-1996
		RO 109565 A	30-03-1995
		RU 2085638 C	27-07-1997
		TR 26194 A	15-02-1995
		US 5494723 A	27-02-1996
EP 0625605 A	23-11-1994	NCNE	
WO 9506771 A	09-03-1995	AT 154078 T	15-06-1997
		AU 680546 B	31-07-1997
		AU 7608594 A	22-03-1995
		CN 1132533 A	02-10-1996
		CZ 9600628 A	12-02-1997
		DE 69403674 D	10-07-1997
		DE 69403674 T	13-11-1997
		DK 724660 T	20-10-1997
		EP 0724660 A	07-08-1996
		ES 2103604 T	16-09-1997
		FI 960956 A	29-04-1996
		GR 3024593 T	31-12-1997
		HU 74437 A, B	30-12-1996
		JP 2916266 B	05-07-1999
		JP 9502491 T	11-03-1997
		NO 960810 A	30-04-1996
		NZ 271960 A	24-11-1997
		PL 313266 A	24-06-1996
		SG 47710 A	17-04-1998
		SK 26596 A	08-01-1997
		US 5902663 A	11-05-1999

EPO Form P459

For more details about this annex see Official Journal of the European Patent Office, No. 12/82

ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.

EP 96 10 8633

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-10-1999

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE 9314788 U	02-02-1995	NONE	
DE 9403111 U	23-06-1994	NONE	
EP 0511469 A	04-11-1992	DE 4114140 A	05-11-1992
NL 8402863 A	16-04-1986	NONE	
EP 0604897 A	06-07-1994	US 5538776 A	23-07-1996
WO 9313254 A	08-07-1993	US 5256224 A	26-10-1993
		DE 69225810 D	09-07-1998
		DE 69225810 T	04-02-1999
		EP 0619849 A	19-10-1994
		ES 2116434 T	16-07-1998
		JP 7502576 T	16-03-1995
		US 5283097 A	01-02-1994
WO 8909561 A	19-10-1989	US 4871604 A	03-10-1989
		AT 92731 T	15-08-1993
		AU 611552 B	13-06-1991
		AU 3299989 A	03-11-1989
		CA 1323253 A	19-10-1993
		DE 68908408 T	09-12-1993
		EP 0408633 A	23-01-1991
		JP 3503553 T	08-08-1991
WO 9312285 A	24-06-1993	DE 4140580 A	17-06-1993
		DE 4228570 A	03-03-1994
		AU 3086492 A	19-07-1993

EPO FORM P459

For more details about this annex see Official Journal of the European Patent Office No. 12/92